Application No. 10/717,378

Reply to Office Action

## AMENDMENTS TO THE CLAIMS

This listing of claims replaces all prior versions, and listings, of claims in the application.

- 1. (Currently Amended) A method of treating a cellular proliferative disease, comprising administering to a mammalian host a pharmaceutical composition comprising:
- (a) a therapeutically effective amount of liposomal entrapped irinotecan also comprising cardiolipin, wherein the liposomal entrapped-irinotecan demonstrates a irinotecan plasma concentration 200-fold higher than conventional irinotecan and
- (b) a pharmaceutically acceptable exipient, wherein at least a portion of irinotecan is complexed with cardiolipin.
  - 2. (Original) The method of claim 1, wherein said mammalian host is a human.
  - 3. (Canceled)
  - 4. (Canceled)
  - 5. (Canceled)
- 6. (Previously Presented) The method of claim 1, wherein said cardiolipin is selected from a group consisting of natural cardiolipin and synthetic cardiolipin.
- 7. (Original) The method of claim 1, wherein said liposome bears a negative charge.
- 8. (Original) The method of claim 1, wherein said liposome bears a positive charge.
  - 9. (Canceled)
  - 10. (Canceled)
- 11. (Currently Amended) A therapeutic composition comprising liposome entrapped irinotecan, wherein said liposome comprises a first liposome forming material comprising cardiolipin and a second liposome forming material and wherein the liposome

Application No. 10/717,378

Reply to Office Action

entrapped irinotecan demonstrates a irinotecan plasma concentration 200-fold higher than conventional irinotecan composition comprises about 1 wt.% to about 50 wt.% irinotecan, about 1 wt.% to about 50 wt.% cardiolipin, about 1 wt.% to about 95 wt.% phosphatidylcholine, and about 0.001 wt.% to about 5 wt.% α-tocopherol.

- 12. (Original) The composition of claim 11, wherein a portion of said cardiolipin is complexed with irinotecan.
- 13. (Previously Presented) The composition of claim 11, wherein said liposome entrapped irinotecan comprises vesicles having a size of about 5 μm or less.
- 14. (Previously Presented) The composition of claim 11, wherein said liposome entrapped irinotecan comprises vesicles having a size of about 1 μm or less.
- 15. (Previously Presented) The composition of claim 11, wherein said liposome entrapped irinotecan comprises vesicles having a size of about 0.5 μm or less.
- 16. (Previously Presented) The composition of claim 11, wherein said liposome entrapped irinotecan comprises vesicles having a size of about 0.1 μm or less.
- 17. (Previously Presented) The composition of claim 11, wherein said second liposome-forming material is a lipid selected from a group consisting of phosphatidylcholine, cholesterol, α-tocopherol, dipalmi oyl phosphatidylcholine and phosphatidylserine.
- 18. (Previously Presented) The composition of claim 11, wherein said cardiolipin is selected from a group consisting of natural cardiolipin and synthetic cardiolipin.
- 19. (Original) The composition of claim 11, wherein said liposome bears a negative charge.
- 20. (Original) The composition of claim 11, wherein said liposome bears a positive charge.
  - 21. (Original) The composition of claim 11, wherein said liposome is neutral.

Page 4 of 7

Application No. 10/717,378

Reply to Office Action

## 22. (Canceled)

23. (Original) A method for the treatment of mammalian cancer comprising administering a therapeutically effective amount of the composition of claim 11 to a subject in need thereof.

## 24-46. (Canceled)

- 47. (New) The method of claim 1, wherein the composition is administered at a dosage of about 0.5-3.0 mg irinotecan per kg body weight of the host.
- 48. (New) The method of claim 1, wherein the composition is administered at a dosage of about 1.0-3.0 mg irinotecan per kg body weight of the host.
- 49. (New) The method of claim 1 wherein the liposomal entrapped irinotecan comprises vesicles having a size of less than about  $5 \mu m$ .
- 50. (New) The method of claim 1 wherein the liposomal entrapped irinotecan comprises vesicles having a size of about 1 µm or less.
- 51. (New) The method of claim 1 wherein the liposomal entrapped irinotecan comprises vesicles having a size of about 0.5 µm or less.
- 52. (New) The method of claim 1 wherein the liposomal entrapped irinotecan comprises vesicles having a size of about 0.1  $\mu$ m or less.
- 53. (New) The method of claim 1 wherein the composition comprises about 1 wt.% to about 50 wt.% irinotecan, about 1 wt.% to about 50 wt.% cardiolipin, about 1 wt.% to about 95 wt.% phosphatidylcholine, and about 0.001 wt.% to about 5 wt.% α-tocopherol.